

This is a sample document that uses entry counting per unit. The unit entry counting has been enabled on the **abbreviation** category. The unit has been set to “chapter”. This means that abbreviations will only be added to the glossary if they are used more than n times per chapter, where in this document n has been set to 2. Entries in other categories behave as normal.

Chapter 1

Sample

Overall number of times the `xml` entry is used in this chapter: 2. (Information obtained from previous run.)

Used once: `hypertext markup language`.

Used twice: `extensible markup language` and `extensible markup language`.

Used three times: `cascading style sheet (CSS)` and `CSS` and `CSS`.

Used once but this entry is in the “general” category which doesn’t have the entry unit counting set: `sample`.

Number of times the `xml` entry has been used this chapter so far: 2.

Normal usage of `\gls` has been suppressed for the `xml` entry in this chapter.

Number of times the `css` entry has been used this chapter so far: 3.

Normal usage of `\gls` hasn’t been suppressed for the `css` entry in this chapter.

Chapter 2

Another Sample

Used once in this chapter: extensible markup language.

Used twice in this chapter: cascading style sheet and cascading style sheet.

Number of times the `css` entry has been used this chapter so far: 2.

Normal usage of `\gls` has been suppressed for the `css` entry in this chapter.

Total number of times the `css` entry was used throughout the document on the previous run: 5.

Total number of times the `xml` entry was used throughout the document on the previous run: 3.

Glossary

CSS cascading style sheet 2

sample sample 2